

Safety Data Sheet

According to: 1907/2006/EC (REACH), 1272/2008/EC (CLP), and OSHA GHS
Trade Name: Detonators, Electric (Class 1.1B)

SECTION 1 – IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

Name, Address, and Telephone of the Responsible Party

Dyno Nobel Inc.

2795 East Cottonwood Parkway, Suite 500
Salt Lake City, Utah 84121
Phone: 801-364-4800 Fax: 801-321-6703
E-Mail: dna.hse@am.dynonobel.com
www.dynonobel.com

SDS #: 1076

Date: 22/05/2015

Supersedes:

1.1 Product Identifier

Trade Name: Detonators, Electric (Class 1.1B)

Article Number: 1076

Other Product Identifiers:

ELECTRIC SUPER™ COAL
ELECTRIC SUPER™ LP
ELECTRIC SUPER™ SP
ELECTRIC SUPER™ STARTER
ELECTRIC INSTANT

1.2 Relevant Identified uses of the Substance or Mixture and uses Advised Against

No further relevant information available.

Application of the Substance / the Mixture

Explosive product.

Commercial blasting applications.

1.3 Emergency Telephone Number

CHEMTREC 1-800-424-9300 (US/Canada)
+01 703-527-3887 (International)

SECTION 2 – HAZARD(S) IDENTIFICATION

2.1 Classification of the Substance or Mixture

Classification According to Regulation (EC) No 1272/2008

Classifications listed also are applicable to the OSHA GHS Hazard Communication Standard (29CFR1910.1200).
Hazard Statement H410 is not applicable to the OSHA US regulations.



exploding bomb

Expl. 1.1 H201 Explosive; mass explosion hazard.

Classification According to Directive 67/548/EEC or Directive 1999/45/EC



E; Explosive

R2: Risk of explosion by shock, friction, fire or other sources of ignition.

Information Concerning Particular Hazards for Human and Environment: The product has to be labelled due to the calculation procedure of the "General Classification guideline for preparations of the EU" in the latest valid version.

Classification System: The classification is according to the latest editions of the EU-lists, and extended by company and literature data.

The classification is in accordance with the latest editions of international substances lists, and is supplemented by information from technical literature and by information provided by the company.

Additional Information: There are no other hazards not otherwise classified that have been identified.

0 percent of the mixture consists of component(s) of unknown toxicity.

Safety Data Sheet

According to: 1907/2006/EC (REACH), 1272/2008/EC (CLP), and OSHA GHS
Trade Name: Detonators, Electric (Class 1.1B)

2.2 Label Elements

Labelling According to Regulation (EC) No 1272/2008

The product is additionally classified and labelled according to the Globally Harmonized System within the United States (GHS).

The product is classified and labelled according to the CLP regulation.

Hazard Pictograms



GHS01

Signal Word

: Danger

Hazard-determining components of labelling

: pentaerythritol tetranitrate (PETN)
diazodinitro phenol (DDNP)
Nitrocellulose, colloided, granular
lead diazide

Hazard Statements

: H201 - Explosive; mass explosion hazard.

Precautionary Statements

: P210 - Keep away from heat/sparks/open flames/hot surfaces.
- No smoking.
P230 - Keep wetted.
P250 - Do not subject to grinding/shock/friction.
P280 - Wear protective gloves/protective clothing/eye protection/face protection.
P240 - Ground/bond container and receiving equipment.
P373 - DO NOT fight fire when fire reaches explosives.
P370+P380 - In case of fire: Evacuate area.
P372 - Explosion risk in case of fire.
P401 - Store in accordance with local/regional/national/international regulations.
P501 - Dispose of contents/container in accordance with local/regional/national/international regulations.

Additional Information

: EUH201 - Contains lead. Should not be used on surfaces liable to be chewed or sucked by children.

Hazard Description

WHMIS-Symbols

: Explosive products are not classified under WHMIS.

NFPA Ratings (scale 0 - 4)

: Not available.

HMIS-Ratings (scale 0 - 4)

: Not available.

HMIS Long Term Health Hazard Substances

13424-46-9 lead diazide
7758-97-6 lead chromate
13463-67-7 titanium dioxide
7778-74-7 potassium perchlorate

2.3 Other Hazards

Results of PBT and vPvB Assessment

PBT

: Not applicable.

vPvB

: Not applicable.

Safety Data Sheet

According to: 1907/2006/EC (REACH), 1272/2008/EC (CLP), and OSHA GHS
Trade Name: Detonators, Electric (Class 1.1B)

Explosive Product Notice: PREVENTION OF ACCIDENTS IN THE USE OF EXPLOSIVES - The prevention of accidents in the use of explosives is a result of careful planning and observance of the best known practices. The explosives user must remember that he is dealing with a powerful force and that various devices and methods have been developed to assist him in directing this force. He should realize that this force, if misdirected, may either kill or injure both him and his fellow workers.

WARNING - All explosives are dangerous and must be carefully handled and used following approved safety procedures either by or under the direction of competent, experienced persons in accordance with all applicable federal, state, and local laws, regulations, or ordinances. If you have any questions or doubts as to how to use any explosive product, DO NOT USE IT before consulting with your supervisor, or the manufacturer, if you do not have a supervisor. If your supervisor has any questions or doubts, he should consult the manufacturer before use.

SECTION 3 – COMPOSITION/INFORMATION ON INGREDIENTS

3.1 Mixtures

Description: Mixture of substances listed below with nonhazardous additions.

Dangerous components:	
CAS: 13424-46-9 EINECS: 236-542-1 Index number: 082-003-00-7	lead diazide T Repr. Cat. 1, 3 R61; Xn R62-20/22; E R3; N R50/53 R33 <hr/> Unst. Expl., H200 Carc. 1B, H350; Repr. 1A, H360Df; STOT RE 2, H373 Aquatic Acute 1, H400; Aquatic Chronic 1, H410 Acute Tox. 4, H302; Acute Tox. 4, H332
CAS: 78-11-5 EINECS: 201-084-3 Index number: 603-035-00-5	pentaerythritol tetranitrate (PETN) E R3 <hr/> Unst. Expl., H200
CAS: 7440-33-7 EINECS: 231-143-9	tungsten substance with a Community workplace exposure limit
CAS: 10294-40-3 EINECS: 233-660-5 Index number: 056-002-00-7	barium chromate Xn R20/22 <hr/> Carc. 1A, H350 Acute Tox. 4, H302; Acute Tox. 4, H332
CAS: 7440-36-0 EINECS: 231-146-5	antimony substance with a Community workplace exposure limit
CAS: 7440-21-3 EINECS: 231-130-8	silicon F R11 <hr/> Flam. Sol. 2, H228
CAS: 1314-41-6 EINECS: 215-235-6 Index number: 082-001-00-6	orange lead T Repr. Cat. 1, 3 R61; Xn R62-20/22; N R50/53 R33 <hr/> Carc. 1B, H350; Repr. 1A, H360Df; STOT RE 2, H373 Aquatic Acute 1, H400; Aquatic Chronic 1, H410 Acute Tox. 4, H302; Acute Tox. 4, H332

Safety Data Sheet

According to: 1907/2006/EC (REACH), 1272/2008/EC (CLP), and OSHA GHS
Trade Name: Detonators, Electric (Class 1.1B)

CAS: 7439-92-1 EINECS: 231-100-4	lead T Repr. Cat. 1 R60-61-48/23/25; N R50/53 <hr/> Repr. 1A, H360FD; STOT RE 1, H372 Aquatic Acute 1, H400; Aquatic Chronic 1, H410
CAS: 7758-97-6 EINECS: 231-846-0 Index number: 082-004-00-2	lead chromate T Carc. Cat. 2, Repr. Cat. 1, 3 R45-61; Xn R62; N R50/53 R33 <hr/> Carc. 1B, H350; Repr. 1A, H360Df; STOT RE 2, H373 Aquatic Acute 1, H400; Aquatic Chronic 1, H410
CAS: 7782-49-2 EINECS: 231-957-4 Index number: 034-001-00-2	selenium T R23/25 R33-53 <hr/> Acute Tox. 3, H301; Acute Tox. 3, H331 STOT RE 2, H373 Aquatic Chronic 4, H413
CAS: 13463-67-7 EINECS: 236-675-5	titanium dioxide substance with a Community workplace exposure limit
CAS: 7727-43-7 EINECS: 231-784-4	barium sulphate, natural substance with a Community workplace exposure limit
CAS: 7440-42-8 EINECS: 231-151-2	boron
CAS: 7778-74-7 EINECS: 231-912-9 Index number: 017-008-00-5	potassium perchlorate Xn R22; O R9 <hr/> Ox. Sol. 1, H271 Acute Tox. 4, H302
CAS: 4682-03-5	diazodinitro phenol (DDNP) Xi R36/38; Xi R43; E R3 <hr/> Unst. Expl., H200 Skin Irrit. 2, H315; Eye Irrit. 2, H319; Skin Sens. 1, H317
CAS: 9004-70-0 EC number: 603-037-0	Nitrocellulose, colloided, granular E R3 <hr/> Expl. 1.1, H201

SVHC

13424-46-9 lead diazide
7758-97-6 lead chromate
1314-41-6 orange lead

Additional Information: For the listed ingredients, the identity and exact percentages are being withheld as a trade secret. For the wording of the listed risk phrases refer to section 16.

Safety Data Sheet

According to: 1907/2006/EC (REACH), 1272/2008/EC (CLP), and OSHA GHS
Trade Name: Detonators, Electric (Class 1.1B)

SECTION 4 – FIRST AID MEASURES

4.1 Description of First Aid Measures

General Information: No special measures required.

After Inhalation: Unlikely route of exposure.

Supply fresh air; consult doctor in case of complaints.

After Skin Contact: Generally the product does not irritate the skin.

Wash with soap and water.

If skin irritation is experienced, consult a doctor.

After Eye Contact: Remove contact lenses if worn.

Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor.

After Swallowing: Unlikely route of exposure.

Do not induce vomiting; call for medical help immediately.

4.2 Most Important Symptoms and Effects, Both Acute and Delayed

Blast injury if mishandled.

Hazards

Danger of blast or crush-type injuries.

4.3 Indication of Any Immediate Medical Attention and Special Treatment Needed

Product may produce physical injury if mishandled. Treatment of these injuries should be based on the blast and compression effects.

SECTION 5 – FIRE-FIGHTING MEASURES

5.1 Extinguishing Media

Suitable Extinguishing Agents: DO NOT FIGHT FIRE WHEN FIRE REACHES EXPLOSIVES.

For Safety Reasons Unsuitable Extinguishing Agents: None.

5.2 Special Hazards Arising from the Substance or Mixture

DO NOT ATTEMPT TO FIGHT FIRES INVOLVING EXPLOSIVE MATERIALS. Evacuate all personnel to a predetermined safe location, no less than 2,500 feet in all directions. Can explode or detonate under fire conditions. Burning material may produce toxic vapors. It is recommended that users of explosives material be familiar with the Institute of Makers of Explosives Safety Library publications.

Explosive; mass explosion hazard.

5.3 Advice for Firefighters

Protective Equipment: Wear self-contained respiratory protective device.

Wear fully protective suit.

Additional Information

Eliminate all ignition sources if safe to do so. Flammability Classification: (defined by 29 CFR 1910.1200) Explosive. Can explode under fire conditions. Individual devices will randomly explode. Mass explosion of multiple devices is possible under certain conditions. Burning material may produce toxic and irritating vapors. In unusual cases, shrapnel may be thrown from exploding devices under containment. See 2012 Emergency response Guidebook for further information.

SECTION 6 – ACCIDENTAL RELEASE MEASURES

6.1 Personal Precautions, Protective Equipment and Emergency Procedures

Remove persons from danger area.

Wear protective clothing.

Ensure adequate ventilation

Protect from heat.

Isolate area and prevent access.

6.2 Environmental Precautions

Do not allow to enter sewers/ surface or ground water.

Inform respective authorities in case of seepage into water course or sewage system.

Safety Data Sheet

According to: 1907/2006/EC (REACH), 1272/2008/EC (CLP), and OSHA GHS
Trade Name: Detonators, Electric (Class 1.1B)

6.3 Methods and Material for Containment and Cleaning Up

Pick up mechanically.
Send for recovery or disposal in suitable receptacles.
Dispose unusable material as waste according to item 13.

6.4 Reference to Other Sections

See Section 7 for information on safe handling.
See Section 8 for information on personal protection equipment.
See Section 13 for disposal information.

SECTION 7 – HANDLING AND STORAGE

7.1 Precautions for Safe Handling

Open and handle receptacle with care.
Handle with care. Avoid jolting, friction and impact.
Use only in well ventilated areas.
Do not subject to grinding/shock/friction.

Information About Fire - and Explosion Protection: Protect from heat. Prevent impact and friction. Emergency cooling must be available in case of nearby fire.

7.2 Conditions for Safe Storage, Including Any Incompatibilities

Storage:

Requirements to be Met by Storerooms and Receptacles:

Store in a cool location. Avoid storage near extreme heat, ignition sources or open flame.

Information About Storage in One Common Storage Facility: Store away from foodstuffs.

Further Information About Storage Conditions: Store under lock and key and with access restricted to technical experts or their assistants only. Keep away from heat.

7.3 Specific End Use(s): No further relevant information available.

SECTION 8 – EXPOSURE CONTROLS/PERSONAL PROTECTION

Additional Information About Design of Technical Facilities: No further data; see item 7.

8.1 Control Parameters

Ingredients with Limit Values that Require Monitoring at the Workplace:

13424-46-9 lead diazide

PEL (USA)	Long-term value: 0,05 mg/m ³ as Pb; See 29 CFR 1910,1025
REL (USA)	Long-term value: 0,05* mg/m ³ as Pb;*8-hr TWA; See Pocket Guide App. C
TLV (USA)	Long-term value: 0,05 mg/m ³ as Pb; BEI
EL (Canada)	Long-term value: 0,05 mg/m ³ as Pb; IARC 2A, R

10294-40-3 barium chromate

PEL (USA)	Long-term value: 0,005* mg/m ³ Ceiling limit: 0,1** mg/m ³ *as Cr(VI) **as CrO ₃ ; see 29 CFR 1910,1026
REL (USA)	Long-term value: 0,0002 mg/m ³ as Cr; See Pocket Guide Apps. A and C
TLV (USA)	Long-term value: 0,01 mg/m ³ as Cr
EL (Canada)	Long-term value: 0,01 mg/m ³ as Cr; ACGIH A1 IARC 1

Safety Data Sheet

According to: 1907/2006/EC (REACH), 1272/2008/EC (CLP), and OSHA GHS
Trade Name: Detonators, Electric (Class 1.1B)

7440-36-0 antimony	
PEL (USA)	Long-term value: 0,5 mg/m ³ as Sb
REL (USA)	Long-term value: 0,5 mg/m ³ as Sb
TLV (USA)	Long-term value: 0,5 mg/m ³ as Sb
EL (Canada)	Long-term value: 0,5 mg/m ³
EV (Canada)	Long-term value: 0,5 mg/m ³
7758-97-6 lead chromate	
IOELV (EU)	Long-term value: 2 mg/m ³ as Cr
PEL (USA)	Long-term value: 0,005* mg/m ³ Ceiling limit: 0,1** mg/m ³ *as Cr(VI) **as CrO ₃ ; see 29 CFR 1910,1026
REL (USA)	Long-term value: 0,0002 mg/m ³ as Cr; See Pocket Guide Apps. A and C
TLV (USA)	Long-term value: 0,05* 0,012** mg/m ³ *as Pb; BEI ; **as Cr
EL (Canada)	Long-term value: 0,05* 0,012** mg/m ³ ACIGH A2, IARC 2A; R; *as Pb;**as Cr
EV (Canada)	Long-term value: 0,012* 0,05** mg/m ³ *as Cr, **as Pb
7440-33-7 tungsten	
PEL (USA)	and insoluble compounds, as We
REL (USA)	Short-term value: 10 mg/m ³ Long-term value: 5 mg/m ³ as W
TLV (USA)	Short-term value: 10 mg/m ³ Long-term value: 5 mg/m ³ as W
EL (Canada)	Short-term value: 10 mg/m ³ Long-term value: 5 mg/m ³ as W
EV (Canada)	Short-term value: 10* 3** mg/m ³ Long-term value: 5* 1** mg/m ³ as tungsten; compds.:*water-insol.;**water-sol.
7440-21-3 silicon	
PEL (USA)	Long-term value: 15* 5** mg/m ³ *total dust **respirable fraction
REL (USA)	Long-term value: 10* 5** mg/m ³ *total dust **respirable fraction
TLV (USA)	TLV withdrawn
EL (Canada)	Long-term value: 10* 3** mg/m ³ *total dust;**respirable fraction
EV (Canada)	Long-term value: 10 mg/m ³ total dust

Safety Data Sheet

According to: 1907/2006/EC (REACH), 1272/2008/EC (CLP), and OSHA GHS
Trade Name: Detonators, Electric (Class 1.1B)

1314-41-6 orange lead	
PEL (USA)	Long-term value: 0,05 mg/m ³ as Pb; See 29 CFR 1910,1025
REL (USA)	Long-term value: 0,05* mg/m ³ as Pb;*8-hr TWA; See Pocket Guide App. C
TLV (USA)	Long-term value: 0,05 mg/m ³ as Pb; BEI
EL (Canada)	Long-term value: 0,05 mg/m ³ as Pb; IARC 2A, R
EV (Canada)	Long-term value: 0,05 mg/m ³ as Pb, Skin (organic compounds)
7782-49-2 selenium	
PEL (USA)	Long-term value: 0,2 mg/m ³ as Se
REL (USA)	Long-term value: 0,2 mg/m ³ as Se
TLV (USA)	Long-term value: 0,2 mg/m ³ as Se
EL (Canada)	Long-term value: 0,1 mg/m ³
EV (Canada)	Long-term value: 0,2 mg/m ³
13463-67-7 titanium dioxide	
PEL (USA)	Long-term value: 15* mg/m ³ *total dust
REL (USA)	See Pocket Guide App. A
TLV (USA)	Long-term value: 10 mg/m ³ withdrawn from NIC
EL (Canada)	Long-term value: 10* 3** mg/m ³ *total dust;**respirable fraction; IARC 2B
EV (Canada)	Long-term value: 10 mg/m ³ total dust
7727-43-7 barium sulphate, natural	
PEL (USA)	Long-term value: 15* 5** mg/m ³ *total dust **respirable fraction
REL (USA)	Long-term value: 10* 5** mg/m ³ *total dust **respirable fraction
TLV (USA)	Long-term value: 5* mg/m ³ *inhalable fraction; E
EL (Canada)	Long-term value: 10* 3** mg/m ³ *total dust, **respirable fraction
EV (Canada)	Long-term value: 10 mg/m ³ total dust
<p>DNELs: No further relevant information available. PNECs: No further relevant information available.</p>	

Safety Data Sheet

According to: 1907/2006/EC (REACH), 1272/2008/EC (CLP), and OSHA GHS
Trade Name: Detonators, Electric (Class 1.1B)

Ingredients with biological limit values:	
13424-46-9 lead diazide	
BEI (USA)	30 µg/100 ml Medium: blood Time: not critical Parameter: Lead
10294-40-3 barium chromate	
BEI (USA)	25 µg/L Medium: urine Time: end of shift at end of workweek Parameter: Total chromium (fume) 10 µg/L Medium: urine Time: increase during shift Parameter: Total chromium (fume)
7758-97-6 lead chromate	
BEI (USA)	30 µg/100 ml Medium: blood Time: not critical Parameter: Lead 10 µg/100 ml Medium: blood Time: not critical Parameter: Lead (women of child bearing potential)
1314-41-6 orange lead	
BEI (USA)	30 µg/100 ml Medium: blood Time: not critical Parameter: Lead

Additional Information: The lists valid during the making were used as basis.

8.2 Exposure Controls

Personal Protective Equipment:

General Protective And Hygienic Measures: The usual precautionary measures are to be adhered to when handling chemicals.

Keep away from foodstuffs, beverages and feed.

Wash hands before breaks and at the end of work.

Respiratory Protection: Not required under normal conditions of use.

Respiratory protection may be required after product use.

Protection of Hands: Wear gloves for the protection against mechanical hazards according to NIOSH or EN 388.

Material of Gloves: The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material cannot be calculated in advance and has therefore to be checked prior to the application.

Penetration Time of Glove Material: The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

Safety Data Sheet

According to: 1907/2006/EC (REACH), 1272/2008/EC (CLP), and OSHA GHS
Trade Name: Detonators, Electric (Class 1.1B)

Eye Protection:



Safety glasses

Face protection

Body Protection: Impervious protective clothing

Limitation and Supervision of Exposure Into the Environment: No further relevant information available.

Risk Management Measures: **Organizational measures should be in place for all activities involving this product.**

SECTION 9 – PHYSICAL AND CHEMICAL PROPERTIES

9.1 Information on Basic Physical and Chemical Properties

General Information

Appearance

Form	: Solid material
Color	: According to product specification
Odor	: Odourless
Odor Threshold	: Not determined.
pH-Value	: Not applicable.
Change in Condition	
Melting point/Melting range	: Not Determined.
Boiling point/Boiling range	: Undetermined.
Flash Point	: Not applicable.
Flammability (solid, gaseous)	: Not determined.
Auto/Self-ignition temperature	: Not determined.
Decomposition temperature	: Not determined.
Self-igniting	: Product is not self-igniting.
Danger of explosion	: Risk of explosion by shock, friction, fire or other sources of ignition.
Explosion limits	
Lower	: Not determined.
Upper	: Not determined.
Vapour pressure	: Not applicable.
Density	: Not determined.
Relative density	: Not determined.
Vapour density	: Not applicable.
Evaporation rate	: Not applicable.
Solubility in / Miscibility with water	: Variable, dependent upon product composition and packaging.
Partition coefficient (n-octanol/water)	: Not determined.
Viscosity	
Dynamic	: Not applicable.
Kinematic	: Not applicable.
9.2 Other Information	: No further relevant information available.

SECTION 10 – STABILITY AND REACTIVITY

10.1 Reactivity

10.2 Chemical Stability

Thermal Decomposition / Conditions to be Avoided: Keep away from heat/sparks/open flames/hot surfaces.

- No smoking.

Safety Data Sheet

According to: 1907/2006/EC (REACH), 1272/2008/EC (CLP), and OSHA GHS
Trade Name: Detonators, Electric (Class 1.1B)

10.3 Possibility of Hazardous Reactions

Danger of explosion. Toxic fumes may be released if heated above the decomposition point.

10.4 Conditions to Avoid

No further relevant information available.

10.5 Incompatible Materials

No further relevant information available.

10.6 Hazardous Decomposition Products

Carbon monoxide and carbon dioxide

Leadoxide vapour

Nitrogen oxides

Chlorine compounds

Hydrocarbons

Toxic metal oxide smoke

Danger of forming toxic pyrolysis products.

SECTION 11 – TOXICOLOGICAL INFORMATION

11.1 Primary Irritant Effect:

On the Skin: Not a skin irritant in unused form. Vapors/particles from used product are possibly irritating to skin.

On the Eye: Not an eye irritant in unused form. Vapors/particles from used product are possibly irritating to eyes.

Sensitisation: No sensitising effects known.

Subacute to Chronic Toxicity: No further relevant information available.

Acute Effects (Acute Toxicity, Irritation and Corrosivity): Danger of blast or crush-type injuries.

Repeated Dose Toxicity: No further relevant information available.

Acute toxicity:

LD/LC50 Values Relevant for Classification:

7758-97-6 lead chromate

LD50 Oral

12000 mg/kg (mouse)

7782-49-2 selenium

LD50 Oral

6700 mg/kg (rat)

SECTION 12 – ECOLOGICAL INFORMATION

12.1 Toxicity

Aquatic Toxicity: Toxic for aquatic organisms

12.2 Persistence and Degradability

No further relevant information available.

12.3 Bioaccumulative Potential

May be accumulated in organism.

12.4 Mobility in Soil

No further relevant information available.

Ecotoxicological effects:

Remark: Very toxic for fish

Additional Ecological Information

Safety Data Sheet

According to: 1907/2006/EC (REACH), 1272/2008/EC (CLP), and OSHA GHS
Trade Name: Detonators, Electric (Class 1.1B)

General Notes:

Water hazard class 3 (German Regulation) (Self-assessment): extremely hazardous for water
Do not allow product to reach ground water, water course or sewage system, even in small quantities.
Danger to drinking water if even extremely small quantities leak into the ground.
Also poisonous for fish and plankton in water bodies.
The product contains heavy metals. Avoid transfer into the environment. Specific preliminary treatments are necessary
Very toxic for aquatic organisms.
Due to available data on eliminability/decomposition and bioaccumulation potential prolonged term damage of the environment cannot be excluded.

12.5 Results of PBT and vPvB Assessment PBT

Not applicable.

vPvB: Not applicable.

12.6 Other Adverse Effects

No further relevant information available.

SECTION 13 – DISPOSAL CONSIDERATIONS

13.1 Waste Treatment Methods

Recommendation: Must not be disposed together with household garbage. Do not allow product to reach sewage system.

The user of this material has the responsibility to dispose of unused material, residues and containers in compliance with all relevant local, state and federal laws and regulations regarding treatment, storage and disposal for hazardous and nonhazardous wastes. Residual materials should be treated as hazardous.

Uncleaned Packaging:

Recommendation: Disposal must be made according to official regulations.

SECTION 14 – TRANSPORT INFORMATION

14.1 UN-Number

DOT, ADR, IMDG : UN0030
IATA : FORBIDDEN

14.2 UN Proper Shipping Name

DOT : DETONATORS, ELECTRIC
ADR : 0030, DETONATORS, ELECTRIC
IMDG : DETONATORS, ELECTRIC
IATA : FORBIDDEN

14.3 Transport Hazard Class(es)

DOT
Class : 1.1
Label : 1.1



ADR, IMDG
Class : 1.1
Label : 1.1B



IATA
Class : FORBIDDEN
Label : -

14.4 Packing Group

DOT, ADR, IMDG : II

Safety Data Sheet

According to: 1907/2006/EC (REACH), 1272/2008/EC (CLP), and OSHA GHS
Trade Name: Detonators, Electric (Class 1.1B)

IATA : FORBIDDEN
14.5 Environmental Hazards:
Marine Pollutant : Yes
Special Marking (IATA) : FORBIDDEN BY AIR.
14.6 Special Precautions for User: Not applicable.
EMS Number : F-B, S-
Segregation Groups : Lead and its compounds
14.7 Transport in Bulk According to Annex II of MARPOL73/78 and the IBC Code: Not applicable.
Transport/Additional information:
ADR
Limited Quantities (LQ) : 0
Excepted Quantities (EQ) : Code: E0
Not permitted as Excepted Quantity
Tunnel restriction code (1)
IATA : FORBIDDEN.
UN "Model Regulation" : UN0030, DETONATORS, ELECTRIC, 1.1B, II

SECTION 15 – REGULATORY INFORMATION

15.1 Safety, Health and Environmental Regulations/Legislation Specific for the Substance or Mixture United States (USA)

SARA

Section 355 (Extremely Hazardous Substances)

None of the ingredients are listed.

Section 313 (Specific Toxic Chemical Listings)

13424-46-9 lead diazide

10294-40-3 barium chromate

7440-36-0 antimony

7758-97-6 lead chromate

1314-41-6 orange lead

7782-49-2 selenium

7727-43-7 barium sulphate, natural

TSCA (Toxic Substances Control Act)

All ingredients are listed.

Proposition 65 (California)

Chemicals known to cause cancer

13424-46-9 lead diazide

10294-40-3 barium chromate

7758-97-6 lead chromate

1314-41-6 orange lead

13463-67-7 titanium dioxide

Chemicals known to cause reproductive toxicity for females

10294-40-3 barium chromate

7758-97-6 lead chromate

Chemicals known to cause reproductive toxicity for males

10294-40-3 barium chromate

7758-97-6 lead chromate

Chemicals known to cause developmental toxicity

13424-46-9 lead diazide

10294-40-3 barium chromate

Safety Data Sheet

According to: 1907/2006/EC (REACH), 1272/2008/EC (CLP), and OSHA GHS
Trade Name: Detonators, Electric (Class 1.1B)

7758-97-6 lead chromate	
Carcinogenic Categories	
EPA (Environmental Protection Agency)	
13424-46-9 lead diazide	B2
10294-40-3 barium chromate	A(inh), D(oral), K/L(inh), CBD(oral)
7758-97-6 lead chromate	K
1314-41-6 orange lead	B2
7782-49-2 selenium	D
7727-43-7 barium sulphate, natural	D, CBD(inh), NL(oral)
7440-42-8 boron	I (oral)
7778-74-7 potassium perchlorate	NL
IARC (International Agency for Research on Cancer)	
13424-46-9 lead diazide	2A
10294-40-3 barium chromate	1
7758-97-6 lead chromate	1
1314-41-6 orange lead	2A
7782-49-2 selenium	3
13463-67-7 titanium dioxide	2B
TLV (Threshold Limit Value established by ACGIH)	
13424-46-9 lead diazide	A3
10294-40-3 barium chromate	A1
7758-97-6 lead chromate	A2
1314-41-6 orange lead	A3
13463-67-7 titanium dioxide	A4
NIOSH-Ca (National Institute for Occupational Safety and Health)	
10294-40-3 barium chromate	
7758-97-6 lead chromate	
13463-67-7 titanium dioxide	
Canada	
Canadian Domestic Substances List (DSL)	
Some components are listed on the NDSL.	
Not all ingredients listed.	
Canadian Ingredient Disclosure list (limit 0.1%)	
10294-40-3 barium chromate	
7758-97-6 lead chromate	
7782-49-2 selenium	
Canadian Ingredient Disclosure list (limit 1%)	
7440-36-0 antimony	
7440-33-7 tungsten	
Other regulations, limitations and prohibitive regulations	
This product has been classified in accordance with hazard criteria of the Controlled Products Regulations and the SDS contains all the information required by the Controlled Products Regulations.	
Substances of very high concern (SVHC) according to REACH, Article 57	
13424-46-9 lead diazide	
7758-97-6 lead chromate	
1314-41-6 orange lead	
15.2 Chemical safety assessment: A Chemical Safety Assessment has not been carried out.	

Safety Data Sheet

According to: 1907/2006/EC (REACH), 1272/2008/EC (CLP), and OSHA GHS
Trade Name: Detonators, Electric (Class 1.1B)

SECTION 16 – OTHER INFORMATION

Revision Date : 22/05/2015

Other Information : This document has been prepared in accordance with the SDS requirements of the OSHA Hazard Communication Standard 29 CFR 1910.1200

Relevant Phrases

- H200 Unstable explosives.
- H201 Explosive; mass explosion hazard.
- H228 Flammable solid.
- H271 May cause fire or explosion; strong oxidiser.
- H301 Toxic if swallowed.
- H302 Harmful if swallowed.
- H315 Causes skin irritation.
- H317 May cause an allergic skin reaction.
- H319 Causes serious eye irritation.
- H331 Toxic if inhaled.
- H332 Harmful if inhaled.
- H350 May cause cancer.
- H360Df May damage the unborn child. Suspected of damaging fertility.
- H360FD May damage fertility. May damage the unborn child.
- H372 Causes damage to organs through prolonged or repeated exposure.
- H373 May cause damage to organs through prolonged or repeated exposure.
- H400 Very toxic to aquatic life.
- H410 Very toxic to aquatic life with long lasting effects.
- H413 May cause long lasting harmful effects to aquatic life.
- R11 Highly flammable.
- R20/22 Harmful by inhalation and if swallowed.
- R22 Harmful if swallowed.
- R23/25 Toxic by inhalation and if swallowed.
- R3 Extreme risk of explosion by shock, friction, fire or other sources of ignition.
- R33 Danger of cumulative effects.
- R36/38 Irritating to eyes and skin.
- R43 May cause sensitisation by skin contact.
- R45 May cause cancer.
- R48/23/25 Toxic: danger of serious damage to health by prolonged exposure through inhalation and if swallowed.
- R50/53 Very toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment.
- R53 May cause long-term adverse effects in the aquatic environment.
- R60 May impair fertility.
- R61 May cause harm to the unborn child.
- R62 Possible risk of impaired fertility.
- R9 Explosive when mixed with combustible material.

Safety Data Sheet

According to: 1907/2006/EC (REACH), 1272/2008/EC (CLP), and OSHA GHS
Trade Name: Detonators, Electric (Class 1.1B)

Abbreviations and acronyms:

- ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road)
- IMDG: International Maritime Code for Dangerous Goods
- DOT: US Department of Transportation
- IATA: International Air Transport Association
- GHS: Globally Harmonised System of Classification and Labelling of Chemicals
- ACGIH: American Conference of Governmental Industrial Hygienists
- EINECS: European Inventory of Existing Commercial Chemical Substances
- ELINCS: European List of Notified Chemical Substances
- CAS: Chemical Abstracts Service (division of the American Chemical Society)
- NFPA: National Fire Protection Association (USA)
- HMIS: Hazardous Materials Identification System (USA)
- WHMIS: Workplace Hazardous Materials Information System (Canada)
- DNEL: Derived No-Effect Level (REACH)
- PNEC: Predicted No-Effect Concentration (REACH)
- LC50: Lethal concentration, 50 percent
- LD50: Lethal dose, 50 percent
- Expl. 1.1: Explosives, Division 1.1
- Unst. Expl.: Explosives, Unstable explosives
- Flam. Sol. 2: Flammable solids, Hazard Category 2
- Ox. Sol. 1: Oxidising Solids, Hazard Category 1
- Acute Tox. 3: Acute toxicity, Hazard Category 3
- Acute Tox. 4: Acute toxicity, Hazard Category 4
- Skin Irrit. 2: Skin corrosion/irritation, Hazard Category 2
- Eye Irrit. 2: Serious eye damage/eye irritation, Hazard Category 2
- Skin Sens. 1: Sensitisation - Skin, Hazard Category 1
- Carc. 1A: Carcinogenicity, Hazard Category 1A
- Carc. 1B: Carcinogenicity, Hazard Category 1B
- Repr. 1A: Reproductive toxicity, Hazard Category 1A
- Repr. 1A: Reproductive toxicity, Hazard Category 1A
- STOT RE 1: Specific target organ toxicity - Repeated exposure, Hazard Category 1
- STOT RE 2: Specific target organ toxicity - Repeated exposure, Hazard Category 2
- Aquatic Acute 1: Hazardous to the aquatic environment - Acute Hazard, Category 1
- Aquatic Chronic 1: Hazardous to the aquatic environment - Chronic Hazard, Category 1
- Aquatic Chronic 4: Hazardous to the aquatic environment - Chronic Hazard, Category 4

Safety Data Sheet

According to: 1907/2006/EC (REACH), 1272/2008/EC (CLP), and OSHA GHS
Trade Name: Detonators, Electric (Class 1.1B)

Sources

SDS Prepared by:
ChemTel Inc.
1305 North Florida Avenue
Tampa, Florida USA 33602-2902
Toll Free North America 1-888-255-3924 Intl. +01 813-248-0573
Website: www.chemtelinc.com

Disclaimer

Dyno Nobel Inc. and its subsidiaries disclaim any warranties with respect to this product, the safety or suitability thereof, the information contained herein, or the results to be obtained, whether express or implied, INCLUDING WITHOUT LIMITATION, ANY IMPLIED WARRANTY OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE AND/OR OTHER WARRANTY. The information contained herein is provided for reference purposes only and is intended only for persons having relevant technical skills. Because conditions and manner of use are outside of our control, the user is responsible for determining the conditions of safe use of the product. Buyers and users assume all risk, responsibility and liability whatsoever from any and all injuries (including death), losses, or damages to persons or property arising from the use of this product or information. Under no circumstances shall either Dyno Nobel Inc. or any of its subsidiaries be liable for special, consequential or incidental damages or for anticipated loss of profits.

Dyno Nobel SDS